

Warm Buffet

buffet tables with invisible induction devices to keep the food warm



Item No.: 80049101303



The new highlight of our furniture range is the STAGE_80_M_INDUCATION_2G buffet table with integrated surface induction.

You can place three to four pots on the four induction hobs and set the temperature for each hob individually.

Table with four integrated induction fields to keep the food warm on a buffet. Each induction field can run individually. You can adjust four different levels (40°-90°C). The first level corresponds to approximately 40°C, depending on the used pot. On each induction field (measures: 34 x 34 cm) you can place several pots to keep them warm.

This technology was developed by the Swiss company GASTROS and is marketed under the brand name InductWarm Series 130. Büchin Design is the only company who offers this technology integrated in its mobile buffet tables.



Item No.: 80049101401
table-top: compact panel, white



Item No.: 80049101307
table-top: glass, black



Item No.: 80049101402
table-top: compact panel, ceramic anthracite

Item No.: 80049101303



The advantage of this induction-table are two different materials for the table-top. You can choose the table-top in glass (underside colored) or in the material „compact panel“.

„Compact panel“/definition: compact laminates have a multilayer structure and consist of melamine resin impregnated decorative paper and multiple layers of soda kraft paper impregnated with phenolic resins, which are laminated under high pressure and heat.



basic:
table-top: 401, 402
option
table-top: 303, 307, 407, 409, 411, 414, 415, 416, 417, 418, 419

STAGE_80_M_INDUCTION_2G

Item No.: 80049100402

[LxWxH]: 1800 x 800 x 840 mm
height adjustable: 920, 1000, 1080 mm
weight: 88,5 kg (with glass-top)
weight: 75 kg (with compact panel)

Base

steel, powder-coated anthracite
profile 40 x 40 mm, on wheels with
height compensation
weight: 17 kg

Table-top

1790 x 790 x 10 mm,
weight: 35 kg (glass-top)
weight: 20,8 kg (compact panel)


Metal housing

metal plate, 1,5 mm, powder-coated
weight: 6,9 kg

Induction (4 devices)

induction system: InductWarm
manufacturer: Gastros AG Switzerland
model: InductWarm 130
measures: (L x W x H) 35 x 35 x 11 cm
weight: 5,3 kg
voltage range: 220-240V AC
maximum power input: 750 W
electrical fuse protection: 10 A
frequency: 50 Hz

perfect system to
keep the food warm
(no cooking)



MATERIAL+COLOR

basic

base: 100,101,102
table-top: 401, 402

option

base: 103, 104, 105, 109, 112
table-top: 303, 307, 407, 409, 411, 412, 414, 415, 416, 417, 418, 419

table also available in smaller depth of 50 cm:
STAGE_50_XS_INDUCTION_2G
and STAGE_50_M_INDUCTION_2G



explosion view



Item No.: 99110

Trolley for 2 x induction table STAGE_M (50 or 80)



weight: 65 kg [full]/215 kg [empty]


Benefits

STAGE_80_XS_INDUCTION_2G




Item No.: 80040101402

four fields to place chafing dishes and/or pots
four fields with different temperature options



top-view/example: positioning of the pots



The ON/OFF button and the PUSH button are on the front of the metal housing under the table-top.

The InductWarm 130 is equipped with a four-level temperature control. The different temperature levels (40 - 90°C) can be controlled by key functions.

The first level corresponds to approximately 40°C.

Item No.: 80049100307

invisible built-in:
4 x InductWarm 130 device



IMPORTANT !

The usage of the SILICONE MAT is mandatory.



It saves the surface of the table-top in case of overheating and avoids the movement of the pot from the induction field.

positions of the buttons under the table

